## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions and listings of claims in the application:

## LISTING OF CLAIMS:

Claim 1 (currently amended): A magnetic tape cartridge comprising:

a cartridge case, formed by fastening upper and lower cases of synthetic resin together, and having a tape leader opening formed in upper and lower side walls of said upper and said lower cases;

a single tape reel having magnetic tape wound thereon and rotatably housed within said cartridge case; and

a tape leader pin, firmly attached to a leading end of said magnetic tape, and detachably held in an upright state between said upper and lower cases so that said tape leader pin faces said tape leader opening;

wherein said tape leader pin has axially opposite flanges; and

wherein a length of said tape leader pin is 18.7 mm; and

wherein the cartridge case has a thickness of 1.38 mm above and below the axially opposite flanges of the tape leader pin.

2

Claim 2 (currently amended): The magnetic tape cartridge as set forth in claim 1, further comprising a leader-pin holding spring attached to said cartridge case near said tape leader opening, said leader-pin holding spring comprising a mounting portion that includes a rectangular plate and a pair of elastic arm portions, in which top and bottom edges of the mounting portion are provided with engagement recesses, respectively;

wherein said tape leader pin is detachably held by said leader-pin holding spring that elastically abuts said axially opposite flanges in a horizontal direction.

Claim 3 (currently amended): The magnetic tape cartridge as set forth in claim 1, further comprising a U-shaped clip attached to walls near said tape leader opening to fasten said upper and said lower cases together.

wherein the U-shaped clip includes a connecting plate portion and a pair of leg portions bent at right angles in the same direction at both ends of the connecting plate portion.

Claim 4 (previously presented): A magnetic tape cartridge comprising:

a cartridge case, formed by fastening upper and lower cases of synthetic resin together, and having a tape leader opening formed in upper and lower side walls of said upper and said lower cases;

a single tape reel having magnetic tape wound thereon and rotatably housed within said cartridge case; and

tape leader opening;

a tape leader pin, firmly attached to a leading end of said magnetic tape, and detachably held in an upright state between said upper and lower cases so that said tape leader pin faces said

wherein metal reinforcement members are embedded in the upper and lower cases, respectively, near said tape leader opening, in which a first metal reinforcement member is provided above said tape leader pin and a second metal reinforcement member is provided below said tape leader pin.

Claim 5 (original): The magnetic tape cartridge as set forth in claim 4, further comprising a leader-pin holding spring attached to said cartridge case near said tape leader opening;

wherein said tape leader pin has axially opposite flanges and is detachably held by said leader-pin holding spring that elastically abuts said axially opposite flanges in a horizontal direction.

Claim 6 (original): The magnetic tape cartridge as set forth in claim 4, further comprising a U-shaped clip attached to walls near said tape leader opening to fasten said upper and said lower cases together.

4

AMENDMENT UNDER 37 C.F.R. § 1.116 Application Serial No. 10/751,470 Attorney Docket No. Q79189

Claim 7 (previously presented): The magnetic tape cartridge as set forth in claim 1, wherein a thickness of each of said axially opposite flanges is 1.1 mm.